

## SMOOTH EXTERIOR WALL CLADDINGS- THICKNESS



### QUARZ PAINTS



#### FONDOVEL COVER LINE

white

white washable water repellent wall water paint with very good hiding, made with special fillers and pigments; suitable as background for decorative finishings glazing type

**Application:** brush-roller

**Dilution:** water up to 20%

**Indicative yield:** 6-8 sam./liter ner

Code	Package liter
151414	14
15145	5
151425	2,5
151475	0,75



#### IDROQUARZ

white

Washable smooth plastic quartz water paint for indoor and outdoor, filling and good coverage.

**Application:** brush-roller

**Dilution:** water up to 20%

**Indicative yield:** 6-8 sqm./lt.

Code	Package liter
160014	14
16005	5
160025	2,5
160075	0,75



#### TECNOQUARZ-ST

white

Washable smooth plastic quartz water paint for indoor and outdoor, filling and good resistance to weathering of medium-fine grain for plasters

**Application:** brush-roller

**Dilution:** water up to 20%

**Indicative yield:** 6-8 sqm./liter per coat

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package liter
160114	14
16015	5
160125	2,5
160175	0,75
1601CL014	14
1601CL05	5
1601CL025	2,5
1601CL114	14
1601CL15	5
1601CL214	14
1601CL25	5

(\*) SAIANI color bunch



## TECNOQUARZ-FIN

Washable quartz flour matt micro coating by high level cover, opaque aspect, insensitive to support alkalinity, anti-mold, water repellent, while maintaining breathability.

**Application:** brush-roller-spray

**Dilution:** water up to 20%

**Indicative yield:** 3-4 sqm /liter (two coats)

(\*) from K125 to K135-K137-139, 140-141,  
from K143 to K147, K 149-150, K. 249-250,  
K301-K303-K305-K306-K308,  
from K310 to K318, K328

white  
e colorato  
mazz. k

Sovrapp.  
tinte (\*)

Code	Package liter
1602K14	<b>14</b>
1602K5	<b>5</b>
1602KS14	<b>14</b>
1602KS5	<b>5</b>

## SMOOTH EXTERIOR WALL CLADDINGS- THICKNESS

**SAIANI**  
COLORIFICIO

### QUARZ PAINTS



#### MICROLQUARZ

Washable acrylic very fine quartz paint high filling and very high weather resistance

**application:** brush-roller-spray

**Diluition:** water up to 20%

**Indicative yield:** 7-9 sqm./liter per coat in relation to the support

(\*) **SAIANI** color bunch

white

Code

Package  
liter

160314

14

Class 0 (\*)

1603CL014

14

Class 1 (\*)

1603CL114

14

Class 2 (\*)

1603CL214

14

Code

Package  
kg.

white

160418

18

Class 0 (\*)

1604CL018

18

Class 1 (\*)

1604CL118

18

Class 2 (\*)

1604CL218

18

#### TECNOQUARZ-FLEX BUNDLE

pot filler Quartz paint for outdoor application: brush-roller

Diluition: water up to 15%

indicative yield: 5-6 sqm./liter per coat in relation to the support.

(\*) **SAIANI** colour bunch



### ACRYLIC-SYLOXNIC PAINTS

#### SILOX-FLEX

Smooth elastomeric acrylic-siloxanic breathable filler Coating for indoor and outdoor

**application:** brush-roller

**Diluition:** water up to 15%

**Indicative yield:** 7-9 sqm./liter per coat in relation to the support.

(\*) **SAIANI** colour bunch



white

Code

Package  
liter

160514

14

16055

5

Class 0 (\*)

1605CL014

14

1605CL05

5

Class 1 (\*)

1605CL114

14

1605CL15

5

Class 2 (\*)

1605CL214

14

1605CL25

5

Code

Package  
liter

white

160714

14

16075

5

16071

1

Class 0 (\*)

1607CL014

14

1607CL015

5

Class 1 (\*)

1607CL114

14

1607CL15

5

Class 2 (\*)

1607CL214

14

1607CL25

5

#### SANOMUR (wall heal)

White acrisiloxanic & anti algae and mold water-based paint for indoor and outdoor, specific for water vapour in solution diffusion for dehumidifying cycles and with high humidity. It has strong breathability characteristic with considerable power leveling.

**application:** roller-brush

**Diluition:** with water 5-25%

**Indicative yield:** 7/10 sqm./liter per coat in relation to the support.

(\*) **SAIANI** colour bunch



## SILOXANIC PAINTS



### SILOXPAIN

Smooth water-based paint for exterior and interior with high breathability, waterproof and strong anti-algae and mold power. Formed by solid pigments to light, fine carbonates, micronized sands and siloxanic resin. Very good for high breathability finish cycles; ideal as dehumidifying plaster

white

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package liter
160614	14
1606CL014	14
1606CL114	14
1606CL214	14

finishes.

**Application:** roller-brush

**Dilution:** water 5-25%

### ANTICARBONATION PAINTS



#### BETON/CONCRETE PROTECT

Pigmented covering protective water based Paint for reinforced steel concrete, high resistance to atmospheric agents. For outdoors.

**Application:** brush-roller

**Dilution:** water up to 5%

**Indicative Yield:** 0,20 kg -0,35 Kg. /sqm. per coat in in relation to the support.

white

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package liter
160814	14
16085	5
16081	1
1608CL014	14
1608CL05	5
1608CL114	14
1608CL15	5
1608CL214	14
1608CL25	5



#### TECNOGUM FOR OUTSIDE FACADES

Smooth elastic coating and elastomeric waterproofing resin Paint for outside facades, fine sand, carbonates and solid pigments to light. It forms a continuous layer which absorbs any possible formation of lesser extent of support and againsts the smog corrosive action.

**Application:** brush-roller

**Dilution:** water up to 5%

**indicative Yield:** 0.20 kg -0.35 Kg. sqm. per coat in in relation to the support.

(\*)SAIANI colour bunch

white

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package kg.
160918	18
1609CL018	18
1609CL118	18
1609CL218	18

### THICK COATINGS



#### EXTERIOR/OUTSIDE " VENICE"

Covering outdoor float effect for concrete and cement plasters

**application:** taloscia-finishing by trowel

**Dilution:** 1% water

**Indicative yield:** 2 kg./sqm.

white

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package kg.
161024	24
1610CL024	24
1610CL124	24
1610CL224	24



#### DELFQUARZ

scratched effect Wall covering for outdoor for concrete and cement plasters

**Application:** taloscia-finishing by trowel

**Dilution:** water 1%

indicative yield: 3 kg./ sqm.

(\*) SAIANI colour bunch

white

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package kg.
161124	24
1611CL024	24
1611CL124	24
1611CL224	24

## BUCCIATO/TEXTURED FINISH



### QUARZ TEXTURED FINISH

Quartz outer coating orange peel type for very fine-medium-large for concrete and cement plasters

**Application:** roller

**Dilution:** water 1%

**Indicative yield:** 1.5 kg -2 kg. /sqm.

(\*) **SAIANI** colour bunch

white

Class 0 (\*)

Class 1 (\*)

Class 2 (\*)

Code	Package kg.
161224	24
1612CL024	24
1612CL124	24
1612CL224	24